

BIRD OBSERVATIONS SEYMOUR TOWNSHIP, S.E. ONTARIO

Number of days on which a species is seen each month

White-breasted nuthatch

Data compiled 20 May 2013 / 07 March 2021

Chart 1999-2020, 22 years

1998 notes : based on short visit on 05 June, and then on observations 24 August onwards

Species

White-breasted nuthatch

Year	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	Notes
1998										1			1	Not in chart
1999			1										1	
2000		1		1									2	
2001											1	4	5	
2002	4	2					1	1		1			9	
2003										3			3	
2004		2	1							1		1	5	
2005	2	3	2	2			1			4	3		20	
2006	4	6	4	1				1				1	17	
2007											3	1	4	
2008	3	3	2		2						1	2	13	
2009	6	6	1				1			4	2	1	21	
2010	1	2	2	1			3	3	2	1			20	
2011	9	8	4								3	5	29	
2012	7	2	2	5	2	1			1	3	6	1	30	179 sightings, 1999-2012
2013	3	2		1			1			1			8	
2014	2	2	3						2			11	20	
2015	11	12	9	3			1	1		3	4		52	
2016	19	12	5							14	17	15	82	
2017									1		5		13	
2018	9	4	2					2		12	11	12	52	
2019	7	11	9				2			7	10		54	
2020	9	6	8	6	9	2		1	6	15	8	17	87	
2021	14	7	2										23	Not in chart
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec	Total	547 sighting-days, 1999-2020
	96	84	55	20	13	3	10	9	12	69	74	102	547	

Likely WBN bird strikes at home - none

Plus rare sightings of red-breasted nuthatch - see separate chart
Updated to 07 March 2021


Visits bird feeders

Note: the chart displays the number of days in a given month in which the species was seen. This says nothing of total bird numbers: though commonly with this species one sees an individual or a pair in a day. This is a **minimum**, as the observer was not present continuously (some multi-week absences in some years), not observing from dawn to dusk, and not necessarily near the best feeding and roosting sites for the species.

Source:

www.turnstone.ca/birdlist.htm

compiled by / © G.C. Wilson, 2021



Bird identification, Cornell Lab of Ornithology: visit

http://www.allaboutbirds.org/guide/white-breasted_nuthatch/lifehistory/sc

White-breasted nuthatch, local summary:

<http://www.turnstone.ca/wbn.htm>

Nuthatch calls not always differentiated, reducing number of reports of white-breasted and the less-common red-breasted nuthatches, but increasing reliability of the reporting. 88 percent of sightings are over the late autumn and winter (the six months October to March, with a quiet period in presumed nesting, May-June) and 51 percent in the coldest period, December through February.